

A solvent based, UV resistant sealer with special impregnating technology that intensifies the natural look of the stone leaving it breathable and providing water and dirt resistant effect



PRODUCT BENEFITS

- Enriches color
- Protects against water and oil based stains
- Interior and exterior use,
- Weather and UV resistant
- Microbond protection
- Imparts wet look

USAGE

- Natural stones such as Marbles,
- Granite,
- Travertine,
- Limestone
- Bricks
- Tiles

PACKAGING SIZE

1 L

COVERAGE

Approximately 65 - 300 sqft per litre, depending on the porosity of the stone

TECHNICAL DATA

• Form	Liquid
• Color	Transparent
• Specific Gravity	0.92
• VOC Content	< 650 gms/ltr

INSTRUCTIONS

SURFACE PREPARATION

- Surface temperature should be between 10° C to 35° C and structurally sound, clean and free of waxes, dirt and coatings.
- Ensure that the area is well ventilated and the surface is dry.
- Mask any surface not intended to be treated.

APPLICATION METHOD

- Spread liberally over the substrate using a mop/ paint brush/ roller or cloth.
- DO NOT USE POWER SPRAYER. For larger jobs, use pump up garden sprayer.
- Allow color enhancer to penetrate the surface for 15 - 30 minutes. During this time, spread the color enhancer over entire area to ensure even penetration. Do not allow excess color enhancer to dry on surface
- Second coat may be needed for porous absorbent surfaces and should be applied 30-40 minutes after initial application.
- Wipe the entire area with clean dry towels after 15- 30 minutes of application to remove excess color enhancer.
- To remove residue, reapply a thin coat of color enhancer, allow to dwell it for 2- 3 minutes., agitate with dry nylon pad and dry thoroughly with clean, dry towels.
- A full cure is achieved after 24-72 hours hours foot traffic may begin after 6-8 hours.
- Clean tools with mineral spirit immediately after application and allow them to dry in a well ventilated area.

STORAGE AND HANDLING

May be harmful if swallowed. May cause skin, eye and respiratory irritation. Do not inhale. Avoid prolong exposure to product. Use in a well ventilated area. Do not ingest. KEEP OUT OF THE REACH OF THE CHILDREN. Do not freeze or store above 40° C. Do not mix with other chemicals

EMERGENCY/FIRST AID

- Ingestion: Do not induce vomiting. Call a physician
- Eye Contact: Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. Call a physician if eye irritation persists.
- Skin Contact: Wash skin with mild soap and water. Call a physician if skin irritation persists. Wash clothes before wearing again.
- Inhalation: Remove to fresh air. Call a physician if respiratory irritation persists.

RachTR[®]

WITH CHEMISTRY WE CAN

RachTR Chemicals Pvt.. Ltd

D-10, 2nd Floor, DDA LSC Naraina, New Delhi -110028

Tel. 011-40793258, 011-40392557

Website: www.rachtr.com - Email: info@rachtr.com

Manufactured in INDIA

The above information is based on the latest stage of our development and application technology. Due to multiplicity of influencing factors, this information must be considered as non-binding. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.