


A premium, UV resistant, nano impregnating sealer providing ultimate protection against water, oil and other stains



## PRODUCT BENEFITS

- Fluoropolymer based product
- Nano impregnating technology
- Hydrophobic
- Oleophobic
- Maximum protection against stains
- Microbond protection
- Preserves natural look
- UV resistant

## PACKAGING SIZE

**1 L**

## USAGE

- Natural stones such as Marbles,
- Granite,
- Travertine,
- Limestone
- Sandstone etc
- Tiles

## COVERAGE

Approximately 65 - 300 sqft per litre, depending on the porosity of the stone

## TECHNICAL DATA

• Form	Liquid
• Color	Transparent
• Specific Gravity	0.76
• VOC Content	< 800 gms/ltr
• Expected Wear	> 5 years*
	*Varies depending on the texture of surface, Type of Area, surface wear, frequency and type of maintenance products used and Environmental conditions

# INSTRUCTIONS

## SURFACE PREPARATION

- Surface temperature should be between 10° C to 35° C and structurally sound, clean and free of waxes, dirt and coatings.
- Ensure that the area is well ventilated and the surface is dry.
- Mask any surface not intended to be treated.

## APPLICATION METHOD

- Spread liberally over the substrate using a mop/ paint brush/ roller or cloth.
- DO NOT USE POWER SPRAYER. For larger jobs, use pump up garden sprayer.
- Allow sealer to penetrate the surface for 15 - 30 minutes. During this time, spread the sealer over entire area to ensure even penetration. Do not allow excess sealer to dry on surface
- Second coat may be needed for porous absorbent surfaces and should be applied 30-40 minutes after initial application.
- Wipe the entire area with clean dry towels after 15- 30 minutes of application to remove excess sealer.
- To remove residue, reapply a thin coat of sealer, allow to dwell it for 2- 3 minutes., agitate with dry nylon pad and dry thoroughly with clean, dry towels.
- A full cure is achieved after 24-72 hours hours foot traffic may begin after 6-8 hours.
- Clean tools with mineral spirit immediately after application and allow them to dry in a well ventilated area.

## STORAGE AND HANDLING

May be harmful if swallowed. May cause skin, eye and respiratory irritation. Do not inhale. Avoid prolong exposure to product. Use in a well ventilated area. Do not ingest. KEEP OUT OF THE REACH OF THE CHILDREN. Do not freeze or store above 40° C. Do not mix with other chemicals

## EMERGENCY/FIRST AID

- Ingestion: Do not induce vomiting. Call a physician
- Eye Contact: Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. Call a physician if eye irritation persists.
- Skin Contact: Wash skin with mild soap and water. Call a physician if skin irritation persists. Wash clothes before wearing again.
- Inhalation: Remove to fresh air. Call a physician if respiratory irritation persists.

**RachTR**<sup>®</sup>

WITH CHEMISTRY WE CAN

RachTR Chemicals Pvt.. Ltd

D-10, 2nd Floor, DDA LSC Naraina, New Delhi -110028

Tel. 011-40793258, 011-40392557

Website: [www.rachtr.com](http://www.rachtr.com) - Email: [info@rachtr.com](mailto:info@rachtr.com)

Manufactured in INDIA

*The above information is based on the latest stage of our development and application technology. Due to multiplicity of influencing factors, this information must be considered as non-binding. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.*